

200 Route 130 North, Cinnaminson, NJ 08077 Phone/Fax: (800) 220-3675 / (856) 786-0327

http://www.EMSL.com cinnaminsonradonlab@emsl.com EMSL Order: CustomerID:

381703039

PGCS62

CustomerPO: ProjectID:

Attn: Alex Baylor **Prince George's County School** 13306 Old Marlboro Pike **Uppr Marlboro, MD 20772**

Phone: (301) 952-6760 Fax: (301) 952-0346 Received: 03/29/17 12:32 PM

Analysis Date: 3/31/2017 Collected: 3/24/2017

Project: Prince George's Co. Public School / Ardmore

Ardmore Elementary School Test Site: 9301 Ardwick Ardmore Road

Springdale, MD 20774

Samples for EMSL Kit 1					_	Library Caller	
Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
268013 381703039-0001 Sample Notes:	Room 14	1.4	3/24/2017 2:30:00 PM	3/27/2017 9:10:00 AM	78	20	Customer
Samples for EMSL Kit 2 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	- Stop	Temperature F	Humidity %	Sample Type
266443 381703039-0002 Sample Notes:	Room 13	0.7	3/24/2017 2:34:00 PM	3/27/2017 9:12:00 AM	78	20	Customer
Samples for EMSL Kit 3 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	- Stop	Temperature F	Humidity %	Sample Type
276544 381703039-0003 Sample Notes:	Room 11	1	3/24/2017 2:38:00 PM	3/27/2017 9:14:00 AM	78	20	Customer
Samples for EMSL Kit 4 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	- Stop	Temperature F	Humidity %	Sample Type
268012 381703039-0004 Sample Notes:	Room 10	0.2	3/24/2017 2:40:00 PM	3/27/2017 9:16:00 AM	78	20	Customer
Samples for EMSL Kit 5 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	- Stop	Temperature F	Humidity %	Sample Type
276521 381703039-0005 Sample Notes:	Room 21	0.2	3/24/2017 2:44:00 PM	3/27/2017 9:18:00 AM	76	20	Customer



200 Route 130 North, Cinnaminson, NJ 08077 Phone/Fax: (800) 220-3675 / (856) 786-0327

http://www.EMSL.com cinnaminsonradonlab@emsl.com EMSL Order: CustomerID:

381703039

PGCS62

CustomerPO: ProjectID:

Attn: Alex Baylor **Prince George's County School** 13306 Old Marlboro Pike **Uppr Marlboro, MD 20772**

Phone: (301) 952-6760 Fax: (301) 952-0346 Received: 03/29/17 12:32 PM

Analysis Date: 3/31/2017 Collected: 3/24/2017

Project: Prince George's Co. Public School / Ardmore

Ardmore Elementary School Test Site: 9301 Ardwick Ardmore Road

Springdale, MD 20774

Samples for EMSL Kit 6				_		Library Calling	
Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Femperature F	Humidity %	Sample Type
275571 381703039-0006 Sample Notes:	Room 20	0.5	3/24/2017 2:48:00 PM	3/27/2017 9:20:00 AM	76	20	Customer
Samples for EMSL Kit 7 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Геmperature F	Humidity %	Sample Type
275563 381703039-0007 Sample Notes:	Room 24	0.2	3/24/2017 2:52:00 PM	3/27/2017 9:22:00 AM	76	20	Customer
Samples for EMSL Kit 8 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Гетреrature F	Humidity %	Sample Type
267704 381703039-0008 Sample Notes:	Room 25	0.1	3/24/2017 2:56:00 PM	3/27/2017 9:24:00 AM	76	20	Customer
Samples for EMSL Kit 9 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Геmperature F	Humidity %	Sample Type
268849 381703039-0009 Sample Notes:	K1	0.1	3/24/2017 3:00:00 PM	3/27/2017 9:26:00 AM	76	20	Customer
Samples for EMSL Kit 10 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Геmperature F	Humidity %	Sample Type
268038 381703039-0010 Sample Notes:	K1	0.2	3/24/2017 3:02:00 PM	3/27/2017 9:28:00 AM	76	20	Customer



200 Route 130 North, Cinnaminson, NJ 08077 Phone/Fax: (800) 220-3675 / (856) 786-0327

http://www.EMSL.com cinnaminsonradonlab@emsl.com EMSL Order: CustomerID:

381703039

PGCS62

CustomerPO: ProjectID:

Attn: Alex Baylor **Prince George's County School** 13306 Old Marlboro Pike **Uppr Marlboro, MD 20772**

Phone: (301) 952-6760 Fax: (301) 952-0346 Received: 03/29/17 12:32 PM

Analysis Date: 3/31/2017 Collected: 3/24/2017

Project: Prince George's Co. Public School / Ardmore

Ardmore Elementary School Test Site: 9301 Ardwick Ardmore Road

Springdale, MD 20774

		rest Report: F	Kauon III Ai	riestke	SuitS		
Samples for EMSL Kit 11		Radon Activity			Temperature	Humidity	
Liquid Scintillation ID	Location	pCi/L	Start	Stop	F	%	Sample Type
267881 381703039-0011 Sample Notes:	Room 40	0.2	3/24/2017 3:06:00 PM	3/27/2017 9:30:00 AM	_	20	Customer
Samples for EMSL Kit 12		Radon Activity			Temperature	Humidity	
Liquid Scintillation ID	Location	pCi/L	Start	Stop	F	%	Sample Type
267989	Room 38	0.1	3/24/2017	3/27/2017	7 76	20	Customer
381703039-0012			3:10:00 PM	9:32:00 AM	1		
Sample Notes:							
Samples for EMSL Kit 13							
Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
276535	Room 37	0.3	3/24/2017	3/27/2017	7 72	30	Customer
381703039-0013			3:14:00 PM	9:34:00 AM	1		
Sample Notes:							
Samples for EMSL Kit 14							
Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
270611	Room 34	0.6	3/24/2017	3/27/2017	7 72	30	Customer
381703039-0014			3:20:00 PM	9:36:00 AM	1		
Sample Notes:							
Samples for EMSL Kit 15							
Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
267792	Room 32	0.3	3/24/2017	3/27/2017	7 72	30	Customer
381703039-0015			3:24:00 PM	9:38:00 AM	1		
Sample Notes:							



200 Route 130 North, Cinnaminson, NJ 08077 Phone/Fax: (800) 220-3675 / (856) 786-0327

http://www.EMSL.com cinnaminsonradonlab@emsl.com EMSL Order: CustomerID:

381703039

PGCS62

CustomerPO: ProjectID:

Attn: Alex Baylor **Prince George's County School** 13306 Old Marlboro Pike **Uppr Marlboro, MD 20772**

Phone: (301) 952-6760 Fax: (301) 952-0346 Received: 03/29/17 12:32 PM

Analysis Date: 3/31/2017 Collected: 3/24/2017

Project: Prince George's Co. Public School / Ardmore

Ardmore Elementary School Test Site: 9301 Ardwick Ardmore Road

Springdale, MD 20774

	16	sı neport. r	Nauon III Ai	i iestives	buito		
Samples for EMSL Kit 16		Radon Activity			Temperature	Humidity	
Liquid Scintillation ID	Location	pCi/L	Start	Stop	F	%	Sample Type
276550 381703039-0016 Sample Notes:	Room 30	0.3	3/24/2017 3:26:00 PM	3/27/2017 9:40:00 AM		30	Customer
Samples for EMSL Kit 17 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
275530 381703039-0017 Sample Notes:	Library	1	3/24/2017 3:28:00 PM	3/27/2017 9:42:00 AM		30	Customer
Samples for EMSL Kit 18 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
267793 381703039-0018 Sample Notes:	Teacher's Workroom	0.3	3/24/2017 3:30:00 PM	3/27/2017 9:44:00 AM		30	Customer
Samples for EMSL Kit 19 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
275546 381703039-0019 Sample Notes:	Stage	1.6	3/24/2017 3:32:00 PM	3/27/2017 9:46:00 AM		30	Customer
Samples for EMSL Kit 20 Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
267931 381703039-0020 Sample Notes:	Stage	1.6	3/24/2017 3:34:00 PM	3/27/2017 9:48:00 AM		30	Customer



200 Route 130 North, Cinnaminson, NJ 08077 Phone/Fax: (800) 220-3675 / (856) 786-0327

http://www.EMSL.com cinnaminsonradonlab@emsl.com

EMSL Order: 381703039 CustomerID: PGCS62

CustomerPO: ProjectID:

Hex Baylor
 Prince George's County School
 13306 Old Marlboro Pike
 Uppr Marlboro, MD 20772

Phone: (301) 952-6760 Fax: (301) 952-0346 Received: 03/29/17 12:32 PM

Analysis Date: 3/31/2017 Collected: 3/24/2017

Project: Prince George's Co. Public School / Ardmore

Test Site: Ardmore Elementary School 9301 Ardwick Ardmore Road

Springdale, MD 20774

Test Report: Radon in Air Test Results

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L.

The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information.

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note

Analyst(s)	Yama Fran Ma
Racquel Hafiz (20)	Laura Freeman, Radon Laboratory Manager &
	Peixue Ma, Ph.D, NJ Radon Measurement Specialist NJ MES
	13502

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified.

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005, IL RNL2008202.

Initial report from 04/05/2017 08:19:47

Please visit www.radontestinglab.com