

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381600836

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/3/2016
 Collected: 1/29/2016

Project: **District Heights****District Heights****Test Report: Radon in Air Test Results****Samples for EMSL Kit 135637**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229448	Room 14	0.3	1/29/2016	2/1/2016	50	40	Customer
381600836-0001			1:13:00 PM	7:02:00 AM			

Sample Notes:

229314	Room 14	0.3	1/29/2016	2/1/2016	50	40	Customer
381600836-0002			1:13:00 PM	7:02:00 AM			

Sample Notes:**Summary for EMSL Kit 135637 Average Radon Result: 0.3 pCi/L****Samples for EMSL Kit 135622**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229410	Room 10	0.2	1/29/2016	2/1/2016	50	40	Customer
381600836-0003			1:15:00 PM	7:04:00 AM			

Sample Notes:

229408	Room 10	0.2	1/29/2016	2/1/2016	50	40	Customer
381600836-0004			1:15:00 PM	7:04:00 AM			

Sample Notes:**Summary for EMSL Kit 135622 Average Radon Result: 0.2 pCi/L****Samples for EMSL Kit 135623**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229482	Room 13	0.2	1/29/2016	2/1/2016	50	40	Customer
381600836-0005			1:16:00 PM	7:05:00 AM			

Sample Notes:

229446	Room 13	0.2	1/29/2016	2/1/2016	50	40	Customer
381600836-0006			1:16:00 PM	7:05:00 AM			

Sample Notes:**Summary for EMSL Kit 135623 Average Radon Result: 0.2 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600836
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/3/2016
 Collected: 1/29/2016

Project: **District Heights**

District Heights

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135624

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229475	Room 11	0.2	1/29/2016	2/1/2016	50	40	Customer
381600836-0007			1:17:00 PM	7:06:00 AM			

Sample Notes:

229407	Room 11	0.1	1/29/2016	2/1/2016	50	40	Customer
381600836-0008			1:17:00 PM	7:06:00 AM			

Sample Notes:

Summary for EMSL Kit 135624 **Average Radon Result: 0.2 pCi/L**

Samples for EMSL Kit 135620

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229357	Room K-1	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0009			1:18:00 PM	7:07:00 AM			

Sample Notes:

229395	Room K-1	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0010			1:18:00 PM	7:07:00 AM			

Sample Notes:

Summary for EMSL Kit 135620 **Average Radon Result: 0.6 pCi/L**

Samples for EMSL Kit 135627

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229466	Room Pre-K	0.1	1/29/2016	2/1/2016	50	40	Customer
381600836-0011			1:20:00 PM	7:08:00 AM			

Sample Notes:

229444	Room Pre-K	0.1	1/29/2016	2/1/2016	50	40	Customer
381600836-0012			1:20:00 PM	7:08:00 AM			

Sample Notes:

Summary for EMSL Kit 135627 **Average Radon Result: 0.1 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600836
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/3/2016
 Collected: 1/29/2016

Project: **District Heights**

District Heights

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135625

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229480	Media Center	0.5	1/29/2016	2/1/2016	50	40	Customer
381600836-0013			1:22:00 PM	7:09:00 AM			

Sample Notes:

229816	Media Center	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0014			1:22:00 PM	7:09:00 AM			

Sample Notes:

Summary for EMSL Kit 135625 **Average Radon Result: 0.6 pCi/L**

Samples for EMSL Kit 135638

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229343	Computer Room	0.5	1/29/2016	2/1/2016	50	40	Customer
381600836-0015			1:23:00 PM	7:10:00 AM			

Sample Notes:

229389	Computer Room	0.4	1/29/2016	2/1/2016	50	40	Customer
381600836-0016			1:23:00 PM	7:10:00 AM			

Sample Notes:

Summary for EMSL Kit 135638 **Average Radon Result: 0.4 pCi/L**

Samples for EMSL Kit 135635

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229347	Room 7B	0.5	1/29/2016	2/1/2016	50	40	Customer
381600836-0017			1:25:00 PM	7:11:00 AM			

Sample Notes:

229792	Room 7B	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0018			1:25:00 PM	7:11:00 AM			

Sample Notes:

Summary for EMSL Kit 135635 **Average Radon Result: 0.6 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381600836
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/3/2016
 Collected: 1/29/2016

Project: **District Heights**

District Heights

Test Report: Radon in Air Test Results

Samples for EMSL Kit 135621

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229817	Room 5	0.4	1/29/2016	2/1/2016	50	40	Customer
381600836-0019			1:27:00 PM	7:12:00 AM			

Sample Notes:

229435	Room 5	0.3	1/29/2016	2/1/2016	50	40	Customer
381600836-0020			1:27:00 PM	7:12:00 AM			

Sample Notes:

Summary for EMSL Kit 135621 **Average Radon Result: 0.4 pCi/L**

Samples for EMSL Kit 135723

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229898	Room 6	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0021			1:28:00 PM	7:13:00 AM			

Sample Notes:

229842	Room 6	0.4	1/29/2016	2/1/2016	50	40	Customer
381600836-0022			1:28:00 PM	7:13:00 AM			

Sample Notes:

Summary for EMSL Kit 135723 **Average Radon Result: 0.5 pCi/L**

Samples for EMSL Kit 135631

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229797	Room 3	0.4	1/29/2016	2/1/2016	50	40	Customer
381600836-0023			1:29:00 PM	7:14:00 AM			

Sample Notes:

229469	Room 3	0.4	1/29/2016	2/1/2016	50	40	Customer
381600836-0024			1:29:00 PM	7:14:00 AM			

Sample Notes:

Summary for EMSL Kit 135631 **Average Radon Result: 0.4 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381600836

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/3/2016
 Collected: 1/29/2016

Project: **District Heights****District Heights****Test Report: Radon in Air Test Results****Samples for EMSL Kit 135639**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229814	Room 4	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0025			1:30:00 PM	7:15:00 AM			

Sample Notes:

229385	Room 4	0.8	1/29/2016	2/1/2016	50	40	Customer
381600836-0026			1:30:00 PM	7:15:00 AM			

Sample Notes:**Summary for EMSL Kit 135639 Average Radon Result: 0.7 pCi/L****Samples for EMSL Kit 135626**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229422	Room M-21	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0027			1:32:00 PM	7:16:00 AM			

Sample Notes:

229483	Room M-21	0.8	1/29/2016	2/1/2016	50	40	Customer
381600836-0028			1:32:00 PM	7:16:00 AM			

Sample Notes:**Summary for EMSL Kit 135626 Average Radon Result: 0.7 pCi/L****Samples for EMSL Kit 135628**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229459	Room M-20	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0029			1:33:00 PM	7:17:00 AM			

Sample Notes:

229815	Room M-20	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0030			1:33:00 PM	7:17:00 AM			

Sample Notes:**Summary for EMSL Kit 135628 Average Radon Result: 0.6 pCi/L**

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381600836

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Alex Baylor**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 02/02/16 1:50 PM
 Analysis Date: 2/3/2016
 Collected: 1/29/2016

Project: **District Heights****District Heights****Test Report: Radon in Air Test Results****Samples for EMSL Kit 135619**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
229826	Main Office	0.5	1/29/2016	2/1/2016	50	40	Customer
381600836-0031			1:35:00 PM	7:01:00 AM			

Sample Notes:

229431	Main Office	0.6	1/29/2016	2/1/2016	50	40	Customer
381600836-0032			1:35:00 PM	7:01:00 AM			

Sample Notes:**Summary for EMSL Kit 135619 Average Radon Result: 0.6 pCi/L**

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information.

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note

Analyst(s)

Kathryn Lickfield (32)

Laura Freeman, Interim Laboratory Manager &
 Subash Rashat, New Jersey Radiation Specialist NJ MES 10152
 or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005. Subash Rashat certification #MES10152

Initial report from 02/09/2016 09:21:09

Please visit www.radontestinglab.com