

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602018
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:53 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Edward M. Felegy**

Test Site: **Edward M. Felegy**
Hyattsville, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140687**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239032	Conference room	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0001			4:55:00 PM	6:50:00 AM			

Sample Notes:

Samples for EMSL Kit 140676

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239040	Main office	0.3	3/4/2016	3/7/2016	70	50	Customer
381602018-0002			4:57:00 PM	6:50:00 AM			

Sample Notes:

Samples for EMSL Kit 140673

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239091	103 music room	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0003			4:58:00 PM	6:57:00 AM			

Sample Notes:

Samples for EMSL Kit 140686

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239005	A-101	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0004			4:59:00 PM	7:00:00 AM			

Sample Notes:

Samples for EMSL Kit 140736

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238953	Lounge	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0005			5:00:00 PM	7:08:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602018
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:53 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Edward M. Felegy**

Test Site: **Edward M. Felegy**
Hyattsville, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140670**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239065	A-102	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0006			5:01:00 PM	7:01:00 AM			

Sample Notes:

Samples for EMSL Kit 140671

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239247	A-103	0.1	3/4/2016	3/7/2016	70	50	Customer
381602018-0007			5:02:00 PM	7:01:00 AM			

Sample Notes:

Samples for EMSL Kit 140672

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239138	105	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0008			5:03:00 PM	7:02:00 AM			

Sample Notes:

239185	105	0.2	3/4/2016	3/7/2016	70	50	Duplicate
381602018-0009			5:03:00 PM	7:02:00 AM			

Sample Notes:

Duplicate RPD = 0%

Samples for EMSL Kit 140734

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239200	106	0.3	3/4/2016	3/7/2016	70	50	Customer
381602018-0010			5:04:00 PM	7:03:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602018
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:53 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Edward M. Felegy**

Test Site: **Edward M. Felegy**
Hyattsville, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140732**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239081	107	0.3	3/4/2016	3/7/2016	70	50	Customer
381602018-0011			5:05:00 PM	7:04:00 AM			

Sample Notes:

238734	107	0.3	3/4/2016	3/7/2016	70	50	Duplicate
381602018-0012			5:05:00 PM	7:04:00 AM			

Sample Notes:**Duplicate RPD = 0%****Samples for EMSL Kit 140737**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239046	108	0.5	3/4/2016	3/7/2016	70	50	Customer
381602018-0013			5:06:00 PM	7:05:00 AM			

Sample Notes:**Samples for EMSL Kit 140738**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239011	109	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0014			5:07:00 PM	7:06:00 AM			

Sample Notes:

238741	109	0.3	3/4/2016	3/7/2016	70	50	Duplicate
381602018-0015			5:07:00 PM	7:06:00 AM			

Sample Notes:**Duplicate RPD = 40%****Samples for EMSL Kit 140751**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238957	110	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0016			5:08:00 PM	7:07:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602018
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:53 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Edward M. Felegy**

Test Site: **Edward M. Felegy**
Hyattsville, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140739**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239000	132	0.3	3/4/2016	3/7/2016	70	50	Customer
381602018-0017			5:09:00 PM	7:10:00 AM			

Sample Notes:

Samples for EMSL Kit 140753

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239205	119	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0018			5:10:00 PM	7:09:00 AM			

Sample Notes:

Samples for EMSL Kit 140752

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239056	B104	0.1	3/4/2016	3/7/2016	70	50	Customer
381602018-0019			5:11:00 PM	7:11:00 AM			

Sample Notes:

238793	B104	0.2	3/4/2016	3/7/2016	70	50	Duplicate
381602018-0020			5:11:00 PM	7:11:00 AM			

Sample Notes:

Duplicate RPD = 66.7%

Samples for EMSL Kit 140748

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238958	B105 third grade	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0021			5:12:00 PM	7:12:00 AM			

Sample Notes:

237226	B105 third grade	0.3	3/4/2016	3/7/2016	70	50	Duplicate
381602018-0022			5:12:00 PM	7:12:00 AM			

Sample Notes:

Duplicate RPD = 40%

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602018
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:53 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Edward M. Felegy**

Test Site: **Edward M. Felegy**
Hyattsville, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140749**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239085	B-106	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0023			5:14:00 PM	7:13:00 AM			

Sample Notes:

Samples for EMSL Kit 140750

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239058	B-107	0.3	3/4/2016	3/7/2016	70	50	Customer
381602018-0024			5:15:00 PM	7:14:00 AM			

Sample Notes:

Samples for EMSL Kit 140747

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239157	B-108	0.2	3/4/2016	3/7/2016	70	50	Customer
381602018-0025			5:16:00 PM	7:15:00 AM			

Sample Notes:

Samples for EMSL Kit 140746

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239125	B-110	0.3	3/4/2016	3/7/2016	70	50	Customer
381602018-0026			5:17:00 PM	7:16:00 AM			

Sample Notes:

Samples for EMSL Kit 140745

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239064	Conference room	0.1	3/4/2016	3/7/2016	70	50	Customer
381602018-0027			5:18:00 PM	7:17:00 AM			

Sample Notes:

233991	Conference room	0.05	3/4/2016	3/7/2016	70	50	Blank
381602018-0028			5:18:00 PM	7:17:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602018
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:53 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Edward M. Felegy**

Test Site: **Edward M. Felegy**
Hyattsville, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140743**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238986	C-103	0.3	3/4/2016	3/7/2016	70	50	Customer
381602018-0029			5:20:00 PM	7:19:00 AM			

Sample Notes:

Samples for EMSL Kit 140744

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238990	C-104	0.5	3/4/2016	3/7/2016	70	50	Customer
381602018-0030			5:21:00 PM	7:20:00 AM			

Sample Notes:

Samples for EMSL Kit 140674

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239207	C-101	0.6	3/4/2016	3/7/2016	70	50	Customer
381602018-0031			5:30:00 PM	7:20:00 AM			

Sample Notes:

Samples for EMSL Kit 140685

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239069	C-102	1	3/4/2016	3/7/2016	70	50	Customer
381602018-0032			5:32:00 PM	7:18:00 AM			

Sample Notes:

235347	C-102	-0.1	3/4/2016	3/7/2016	70	50	Blank
381602018-0033			5:32:00 PM	7:18:00 AM			

Sample Notes:

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information.
 All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note



EMSL Analytical, Inc.

200 Route 130 North, Cinnaminson, NJ 08077
Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602018
CustomerID: PGCS62
CustomerPO:
ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
Fax: (301) 952-0346
Received: 03/08/16 10:53 AM
Analysis Date: 3/9/2016
Collected: 3/4/2016

Project: **Edward M. Felegy**

Test Site: **Edward M. Felegy**
Hyattsville, MD 20782

Test Report: Radon in Air Test Results

Analyst(s)

Laura Freeman (33)

Laura Freeman, Interim Laboratory Manager &
Subash Rashat, New Jersey Radiation Specialist NJ MES 10152
or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005. Subash Rashat certification #MES10152

Initial report from 03/14/2016 17:50:48

Please visit www.radontestinglab.com