

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602064
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:54 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Rosa L. Parks ES**

Test Site: **Rosa L. Parks ES**
Chillum, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140660**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239012	Main office	0.4	3/4/2016	3/7/2016	70	50	Customer
381602064-0001			3:45:00 PM	6:15:00 AM			

Sample Notes:

Samples for EMSL Kit 140656

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239036	Teacher lounge	0.3	3/4/2016	3/7/2016	70	50	Customer
381602064-0002			3:46:00 PM	6:15:00 AM			

Sample Notes:

Samples for EMSL Kit 140666

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239068	Room 140	0.4	3/4/2016	3/7/2016	70	50	Customer
381602064-0003			3:47:00 PM	6:17:00 AM			

Sample Notes:

Samples for EMSL Kit 140668

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238980	139	0.8	3/4/2016	3/7/2016	70	50	Customer
381602064-0004			3:47:00 PM	6:17:00 AM			

Sample Notes:

238756	139	0.6	3/4/2016	3/7/2016	70	50	Duplicate
381602064-0005			3:47:00 PM	6:17:00 AM			

Sample Notes:

Duplicate RPD = 28.6%

Samples for EMSL Kit 140664

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239063	138	0.3	3/4/2016	3/7/2016	70	50	Customer
381602064-0006			3:48:00 PM	6:18:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602064
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:54 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Rosa L. Parks ES**

Test Site: **Rosa L. Parks ES**
Chillum, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140665**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239143	109	0.3	3/4/2016	3/7/2016	70	50	Customer
381602064-0007			3:49:00 PM	6:18:00 AM			

Sample Notes:

237301	109	0.1	3/4/2016	3/7/2016	70	50	Blank
381602064-0008			3:49:00 PM	6:18:00 AM			

Sample Notes:**Samples for EMSL Kit 140657**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238993	137	0.3	3/4/2016	3/7/2016	70	50	Customer
381602064-0009			3:49:00 PM	6:19:00 AM			

Sample Notes:**Samples for EMSL Kit 140661**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239104	135	0.3	3/4/2016	3/7/2016	70	50	Customer
381602064-0010			3:50:00 PM	6:20:00 AM			

Sample Notes:**Samples for EMSL Kit 140681**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239128	111	0.4	3/4/2016	3/7/2016	70	50	Customer
381602064-0011			3:51:00 PM	6:21:00 AM			

Sample Notes:**Samples for EMSL Kit 140667**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238994	112	0.4	3/4/2016	3/7/2016	70	50	Customer
381602064-0012			3:52:00 PM	6:21:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602064
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:54 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Rosa L. Parks ES**

Test Site: **Rosa L. Parks ES**
Chillum, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140658**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239160 381602064-0013	Computer lab	0.4	3/4/2016 3:53:00 PM	3/7/2016 6:22:00 AM	70	50	Customer

Sample Notes:

238759 381602064-0014	Computer lab	0.4	3/4/2016 3:53:00 PM	3/7/2016 6:22:00 AM	70	50	Duplicate
--------------------------	--------------	-----	------------------------	------------------------	----	----	-----------

Sample Notes:**Duplicate RPD = 0%****Samples for EMSL Kit 140662**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239070 381602064-0015	Library	0.5	3/4/2016 3:54:00 PM	3/7/2016 6:22:00 AM	70	50	Customer

Sample Notes:

238754 381602064-0016	Library	0.4	3/4/2016 3:54:00 PM	3/7/2016 6:22:00 AM	70	50	Duplicate
--------------------------	---------	-----	------------------------	------------------------	----	----	-----------

Sample Notes:**Duplicate RPD = 22.2%****Samples for EMSL Kit 140659**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239144 381602064-0017	116	0.4	3/4/2016 3:55:00 PM	3/7/2016 6:23:00 AM	70	50	Customer

Sample Notes:**Samples for EMSL Kit 140663**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239149 381602064-0018	130	0.5	3/4/2016 3:56:00 PM	3/7/2016 6:24:00 AM	70	50	Customer

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602064
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:54 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Rosa L. Parks ES**

Test Site: **Rosa L. Parks ES**
Chillum, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140680**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239075	117	0.6	3/4/2016	3/7/2016	70	50	Customer
381602064-0019			3:57:00 PM	6:25:00 AM			

Sample Notes:

Samples for EMSL Kit 140677

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239124	128	0.4	3/4/2016	3/7/2016	70	50	Customer
381602064-0020			3:58:00 PM	6:26:00 AM			

Sample Notes:

Samples for EMSL Kit 140678

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
238972	Reading room	0.5	3/4/2016	3/7/2016	70	50	Customer
381602064-0021			3:59:00 PM	6:27:00 AM			

Sample Notes:

238760	Reading room	0.5	3/4/2016	3/7/2016	70	50	Duplicate
381602064-0022			3:59:00 PM	6:27:00 AM			

Sample Notes:

Duplicate RPD = 0%

Samples for EMSL Kit 140669

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239250	119	0.8	3/4/2016	3/7/2016	70	48	Customer
381602064-0023			4:00:00 PM	6:28:00 AM			

Sample Notes:

Samples for EMSL Kit 140679

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239218	125	0.5	3/4/2016	3/7/2016	70	50	Customer
381602064-0024			4:01:00 PM	6:29:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077
 Phone/Fax: (800) 220-3675 / (856) 786-0327
<http://www.EMSL.com> cinnaminsonradonlab@emsl.com

EMSL Order: 381602064
 CustomerID: PGCS62
 CustomerPO:
 ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:54 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Rosa L. Parks ES**

Test Site: **Rosa L. Parks ES**
Chillum, MD 20782

Test Report: Radon in Air Test Results**Samples for EMSL Kit 140655**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239093	124	0.7	3/4/2016	3/7/2016	70	50	Customer
381602064-0025			4:02:00 PM	6:30:00 AM			

Sample Notes:

235303	124	0.1	3/4/2016	3/7/2016	70	50	Blank
381602064-0026			4:02:00 PM	6:30:00 AM			

Sample Notes:**Samples for EMSL Kit 140733**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239021	120	0.6	3/4/2016	3/7/2016	70	50	Customer
381602064-0027			4:03:00 PM	6:31:00 AM			

Sample Notes:**Samples for EMSL Kit 140735**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239010	121	0.5	3/4/2016	3/7/2016	70	50	Customer
381602064-0028			4:04:00 PM	6:32:00 AM			

Sample Notes:

235246	121	0	3/4/2016	3/7/2016	70	50	Blank
381602064-0029			4:04:00 PM	6:32:00 AM			

Sample Notes:**Samples for EMSL Kit 140740**

Liquid Scintillation ID	Location	Radon Activity pCi/L	Start	Stop	Temperature F	Humidity %	Sample Type
239087	Conference room	0.3	3/4/2016	3/7/2016	70	50	Customer
381602064-0030			4:05:00 PM	6:16:00 AM			

Sample Notes:

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 / (856) 786-0327

<http://www.EMSL.com>cinnaminsonradonlab@emsl.com

EMSL Order: 381602064

CustomerID: PGCS62

CustomerPO:

ProjectID:

Attn: **Karen Bowlding**
Prince George's County School
13300 Old Marlboro Pike
Upper Marlboro, MD 20772

Phone: (301) 952-6559
 Fax: (301) 952-0346
 Received: 03/08/16 10:54 AM
 Analysis Date: 3/9/2016
 Collected: 3/4/2016

Project: **Rosa L. Parks ES**

Test Site: **Rosa L. Parks ES**
Chillum, MD 20782

Test Report: Radon in Air Test Results

The radon test was performed using a liquid scintillation radon detector/s and counted on a liquid scintillation counter using approved EPA testing protocols for Radon in Air testing. The EPA recommends fixing your home if the average of two short-term tests taken in the lowest lived-in level of the home show radon levels that are equal to or greater than 4.0pCi/L. The EPA recommends retesting your home every two years.

Please contact EMSL Analytical, Inc. or your State Health Department for further information.

All procedures used for generating this report are in complete accordance with the current EPA protocols for the analysis of Radon in Air.

Report Note

Analyst(s)

*Laura Freeman (3)**Tiffanie Cosgrove (27)*

Laura Freeman, Interim Laboratory Manager &
 Subash Rashat, New Jersey Radiation Specialist NJ MES 10152
 or other approved signatory

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder. The test results meets all NELAC requirements unless otherwise specified. Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ Accreditations: NRSB ARL6006, NJ DEP 03036, MEB 92525, PA 2573, IN 00455, IA L00032, RI RAS-024, ME 20200C, NE RMB-1083, NY ELAP 10872, NM 885-10L, FL RB2034, OH RL-39, NRPP #106178AL, KS-LB-0005. Subash Rashat certification #MES10152

Initial report from 03/15/2016 16:00:35

Please visit www.radontestinglab.com